

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Thomas D. Egan
Title: GASTRIC BYPASS PROSTHESIS
Patent. No.: 7,316,716
Issue Date: January 8, 2008
Examiner: Suzette Jaime J. Gherbi
Art Unit: 3738
Confirmation Number: 2108

**REQUEST FOR CERTIFICATE OF CORRECTION FOR
PTO MISTAKE PURSUANT TO 37 C.F.R. § 1.322(a)**

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Enclosed, in duplicate, is a Certificate of Correction, Form PTO-1050, for United States Patent Number 7,316,716 issued January 8, 2008. The following Patent Office printing errors appear in the issued patent:

On the cover page of the patent, please include the following domestic priority data:

1. -- 60/379,160 May 9, 2002 --

IN THE CLAIMS

The exact claim and line number where the errors in the issued patent are shown correctly in the application file are:

2. At Column 18, Line 2, Claim 18 currently reads as:

“annular element includes fibrous is adapted to be”

3. At Column 18, Line 2, please correct Claim 18 to read as follows:

-- annular element is adapted to be --

4. At Column 18, Line 37, Claim 43 currently reads as:

“A device according to claim 21, wherein said first”

5. At Column 18, Line 37, please correct Claim 43 to read as follows:

-- A device according to claim 40, wherein said first --

Applicant submits that the above changes would not constitute new matter, and correction thereof would not require reexamination.

Pursuant to 37 C.F.R. §1.322, Applicant requests that the enclosed Certificate of Correction be approved.


Although Applicant believes that no fee is required for this Request, the Commissioner is hereby authorized to charge any additional fees which may be required for this Request to Deposit Account No. 19-0741.

Respectfully submitted,

Date

4/1/08

By



FOLEY & LARDNER LLP
111 Huntington Avenue
Boston, Massachusetts 02199
Telephone: (617) 342-4049
Facsimile: (617) 342-4001

Mark G. Lappin
Attorney for Applicant
Registration No. 26,618

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. : 7,316,716
APPLICATION NO. : 10/511,385
DATED : January 8, 2008
INVENTOR(S) : Thomas D. Egan

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

1. On the cover page of the patent, please include the following domestic priority data:
-- 60/379,160 May 9, 2002
2. At Column 18, Line 2, Claim 18 currently reads as:
"annular element includes fibrous is adapted to be"
3. At Column 18, Line 2, please correct Claim 18 to read as follows:
-- annular element is adapted to be --
4. At Column 18, Line 37, Claim 43 currently reads as:
"A device according to claim 21, wherein said first"
5. At Column 18, Line 37, please correct Claim 43 to read as follows:
-- A device according to claim 40, wherein said first --

MAILING ADDRESS OF SENDER (Please do not use customer number below):

111 Huntington Avenue, 26th Floor
Boston, Massachusetts 02199

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer,

U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: **Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. : 7,316,716
APPLICATION NO. : 10/511,385
DATED : January 8, 2008
INVENTOR(S) : Thomas D. Egan

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

1. On the cover page of the patent, please include the following domestic priority data:
-- 60/379,160 May 9, 2002
2. At Column 18, Line 2, Claim 18 currently reads as:
"annular element includes fibrous is adapted to be"
3. At Column 18, Line 2, please correct Claim 18 to read as follows:
-- annular element is adapted to be --
4. At Column 18, Line 37, Claim 43 currently reads as:
"A device according to claim 21, wherein said first"
5. At Column 18, Line 37, please correct Claim 43 to read as follows:
-- A device according to claim 40, wherein said first --

MAILING ADDRESS OF SENDER (Please do not use customer number below):

111 Huntington Avenue, 26th Floor
Boston, Massachusetts 02199

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer,

U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: **Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.